


Aramax[®] Super Power-Wedge[®]

V-Belt



Aramax® Super Power-Wedge® V-Belt



1 Premium Cord
Aramid cord provides high horsepower capability and extraordinary strength.

2 Compression Section
Advanced rubber compounds designed to support the cords evenly and compress while bending around the sheaves.

3 Heavy Duty Cover
Stress-relieved fabric cover protects the core while providing superior wear resistance and a smooth transfer of power.

Controlled power transfer

Extraordinary strength

Long belt life

Static dissipating

Wear resistant

Applications:

Designed for harsh environments like

Aggregates


Oil field

Construction

& More

Aramax[®] Super Power-Wedge[®]

V-Belt



Designed for drives that require super high performance, the Aramax family of Timken belts feature aramid cord for extraordinary strength, durability and high horsepower capability.

The proven deeper cross section provides controlled power transfer in a more compact drive. Aramax Power-Wedge v-belts are ideal for heavy duty industrial drives with shock loads. The stress-relieved fabric cover provides superior wear characteristics and resistance to oil, heat, ozone and other environmental factors. Manufactured to exacting standards for dependability and long life, Aramax Power-Wedge v-belts are made in the USA.

Available in 5VK and 8VK cross sections.

Features/Advantages

- The proven deeper cross-section provides controlled power transfer
- Aramid cord provides high horsepower capability and extraordinary strength on the toughest drives
- Stress-relieved fabric cover provides superior resistance to wear and protects the core
- Meets or exceeds the Association for Rubber Products Manufacturers (ARPM) standards for oil and heat resistance
- Vibration is dampened



Note:

- 5VK has a brown clutching cover and is not static dissipating.
- 8VK has a black cover and is static dissipating.
- When Aramax belts are used as a matched set, all belts in the set must have the same sag number. These high modulus aramid cord belts require closer matching than standard belts in order to tension properly as a set.

Aramax® Super Power-Wedge® V-Belt

Aramax® Super Power-Wedge® Part Numbers

Part Number Example:
5VK1000 = **5V** **K** **1000**
Cross Section Aramid Cord Construction Effective Length (inches in tenths: 100.0")

Part Number	Outside Circumference (in)	Outside Circumference (mm)	Weight (lbs.)
5VK			
5VK800	80.5	2044.7	0.9
5VK850	85.5	2171.7	0.9
5VK900	90.5	2298.7	1.0
5VK950	95.5	2425.7	1.1
5VK1000	100.4	2550.2	1.1
5VK1060	106.6	2707.6	1.2
5VK1120	112.5	2857.5	1.2
5VK1180	118.3	3004.8	1.3
5VK1250	112.4	2855.0	1.4
5VK1320	132.5	3365.5	1.5
5VK1400	140.4	3566.2	1.6
5VK1500	150.6	3825.2	1.7
5VK1600	160.6	4079.2	1.8
5VK1700	170.6	4333.2	1.9
5VK1800	180.6	4587.2	2.0
5VK1900	190.6	4841.2	2.1
5VK2000	200.6	5095.2	2.2
5VK2120	212.5	5397.5	2.3
5VK2240	224.6	5704.8	2.5
5VK2360	236.6	6009.6	2.6
5VK2500	250.6	6365.2	2.8
5VK2650	265.6	6746.2	2.9
5VK2800	280.6	7127.2	3.1
5VK3000	300.6	7635.2	3.3
5VK3150	315.6	8016.2	3.5
5VK3350	335.6	8524.2	3.7
5VK3550	355.6	9032.2	3.9
8VK			
8VK2000	200.0	5080.0	6.1
8VK2360	236.0	5994.4	7.3
8VK2500	250.0	6350.0	7.7

Other sizes are available. Please contact customer service.